

AV ARCTIC VOLUME

Technical specifications

Basic information	Surface	Shade	Printing techniques
Optimized for colour printing	Matt	White	Offset (heatset)
Available in sheets	Coated		Offset (sheet-fed)
Available in reels			Flexo
			Laser
			HP Indigo

Arctic Volume White

Grammage (g/m²)	90	100	115	130	150	170	200	250	300 ^B
Opacity (%)	91.5	93	95	96	97	98	99	99	99.5
Thickness (µm)	97	110	126	143	165	187	220	275	330
Bulk (thickness/grammage)	1.08	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Whiteness (CIE)	120	120	120	120	120	120	120	120	120
Brightness (ISO 2470/D65 %)	96	96	96	96	96	96	96	96	96
Smoothness (PPS, µm)	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4

^B Laminated paper

Screen recommended, max 175 lpi

Values are targets only and can be subject to changes over time without prior notice.

You will find the latest technical information and other technical recommendations